




























A330 - 200  
MAIN LANDING GEAR  
TYRE PRESSURE AIRCRAFT  
ON WHEELS 14.2 BAR  
(206 p.s.i.)

INFLATE TYRES WITH  
NITROGEN ONLY






























# CARGO DOOR OPERATION

**IMPORTANT:** CHECK THAT AREA AROUND THE DOOR  
IS CLEAR FOR DOOR MOVEMENT

## DOOR OPENING

1-PULL LOCKING HANDLE TO > **UNLOCKED** <

**WARNING:** DO NOT UNLATCH WITH FLASHING WARNING LIGHT

2-PRESS LATCHING HANDLE RELEASE BUTTON AND PULL  
HANDLE TO > **UNLATCHED** <

3-OPEN CARGO DOOR OPERATION ACCESS PANEL

4-TURN AND HOLD DOOR OPERATION LEVER TO > **OPEN** < UNTIL  
GREEN LIGHT > **OPEN/LOCKED** < IS ON

## DOOR CLOSING

1-TURN AND HOLD DOOR OPERATION LEVER TO > **CLOSE** < UNTIL  
DOOR IS FULLY CLOSED

2-PUSH LATCHING HANDLE IMMEDIATELY TO FULLY > **LATCHED** <

3-PUSH LOCKING HANDLE TO > **LOCKED** <

**CHECK:** LOCKING INDICATOR FLAGS ON  
LOWER DOOR EDGE FLUSH

4-CLOSE CARGO DOOR OPERATION ACCESS PANEL











